Certificate of analysis immunoPrecise

Noggin-Fc Fusion Protein Conditioned medium

Sto

Life Sciences Incubator Yalelaan 62 3584 CM Utrecht The Netherlands

Catalog N002 - 100 ml Lot 4967

Product: Product code: Batch: Concentration (mg/L): (μM): Volume / aliquot (ml): Yield (mg): Purity (%): Endotoxin (EU/ml):	Noggin-Fc Fusion Protein, c N002 4967 18 0.18 (based on the dimeric 100 1.8 > 35 <1 EU/ml	(> 15)
		((10)
Label:	N002 Noggin-Fc Fusion protein Conditioned medium, Batch 4967	
Buffer: prage temperature (oC): Shipping:	Conditioned medium -80 Dry ice	
Project manager: QC officer:	Wieger Hemrika Roland Romijn	



PRODUCT USE LIMITATIONS, WARRANTY, DISCLAIMER

ImmunoPrecise Antibodies' products contain chemicals which may be harmful if misused. Due care should be exercised with all ImmunoPrecise products to prevent direct human contact. All products are intended For Research Use Only and ARE NOT ALLOWED FOR USE IN HUMANS. Each product is shipped with documentation stating specifications and other technical information. ImmunoPrecise products are warranted to meet or exceed the stated specifications. ImmunoPrecise' sole obligation and the customer's sole remedy is limited to replacement of products free of charge in the event products fail to perform as warranted. ImmunoPrecise makes no other warranty and SPECIFICALLY DISCLAIMS AND EXCLUDES ALL OTHER WARRANTIES OF ANY KIND OR NATURE WHATSOEVER, DIRECTLY OR INDIRECTLY, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, AS TO THE SUITABILITY, PRODUCTIVITY, DURABILITY, FITNESS FOR A PARTICULAR PURPOSE OR USE, MERCHANTABILITY, CONDITION, OR ANY OTHER MATTER WITH RESPECT TO IMMUNOPRECISE PRODUCTS. In no event shall ImmunoPrecise be liable for claims for any other damages, whether direct, incidental, foreseeable, consequential (including but not limited to loss of use, revenue or profit), whether based upon warranty, contract, tort (including negligence) or strict liability arising in connection with the sale or the failure of ImmunoPrecise Antibodies products to perform in accordance with the stated specifications.

Version 03/2021

page 1/1