

products@immunoprecise.com www.immunoprecise.com

Product Name

Monoclonal Human anti- threonyl-tRNA synthetase Immunoglobulin

CAT No.

MQR 2.2701

LOT No.

18288

Quantity

100 µg

Edition: September 4, 2019

Intended use

This product is for research use only. NOT for use in diagnostic or therapeutic procedures.

This product is tested for use in enzyme-linked immunosorbent assay (ELISA) and immunoprecipitation (IP).

Reagent provided

The antibody is supplied in PBS.

Isotype

Human IgG1ĸ

Immunogen

Threonyl-tRNA synthetase. Domain: N320-F723 of 723.

Specificity

Specificity has been tested in ELISA (figure 1) and IP-MS.

Purity

Protein A purified.

Disclaimer

The antibody is for R&D use only. NOT for use in diagnostic or therapeutic procedures.

Precautions

- For professional users.
- As with any product derived from biological sources, proper 2. handling procedures should be used.
- The product may be used in different techniques and in combination with different sample types and materials, therefore each individual laboratory should validate the applied test system.

Preparation of the antibody

Use antibody as supplied.

Storage/Stability

Store at -20°C. After first time use, store at 4°C. Avoid repeated freezethaw cycles.


Application guidelines

ELISA: 1:1000 - 1:5000 2 μg/ml

Other applications: since applications vary, optimum working dilution of the product should be determined in the appropriate assay. Unless the stability in the actual test system has been established, it is recommended to dilute the product immediately before use.

Relevance

Catalyzes the attachment of threonine to tRNA(Thr) in a two-step reaction: threonine is first activated by ATP to form Thr-AMP and then transferred to the acceptor end of tRNA(Thr). Also edits incorrectly charged tRNA(Thr) via its editing domain, at the post-transfer stage (By similarity).1



Dilution factor

Figure 1: Specificity of anti-TARS (MQR2.2701), determined by ELISA. Antibody stock 0.67 mg/ml) diluted in PBS containing 0.05% tween-20 and 1% BSA was tested on human Threonyl-tRNA synthetase (in blue) and non-target protein (in red)...

References

1) https://www.uniprot.org/uniprot/P26639